

Certificate ID: **25988**

Client Sample ID: **MCT - 250**

Matrix: **Tincture - MCT Oil**

Date Received: **1/24/2018**



Hemplucid
121 S Tejon Street
Colorado Springs, CO 80903
Attn: Chase Hudson

This test method was performed in accordance with the requirements of ISO/IEC 17025. The sample was provided to the laboratory by the client and tested as received. These results relate only to the test article listed in this report. Reports may not be reproduced except in their entirety.

Authorization: Matthew Silva, Chemical Engineer	Signature: 	Date: 2/5/2018
---	--	--------------------------


CN: Cannabinoid Profile & Potency [WI-10-04]

Analyst: **JDP**

Test Date: **2/4/2018**

The client sample was analyzed for plant-based cannabinoids by Convergence Chromatography (CC). The collected data was compared to data collected for certified reference standards at known concentrations.


25988-CN



ID	Weight %	Conc.
Δ9-THC	0.00 wt %	0.01 mg/mL
THCV	ND	ND
CBD	0.82 wt %	7.78 mg/mL
CBDV	0.01 wt %	0.09 mg/mL
CBG	0.02 wt %	0.14 mg/mL
CBC	0.03 wt %	0.30 mg/mL
CBN	ND	ND
THCA	ND	ND
CBDA	ND	ND
CBGA	0.00 wt %	0.03 mg/mL
Total	0.88 wt%	8.35 mg/mL
Max THC	0.00 wt%	-
Max CBD	0.82 wt%	7.78 mg/mL



Max THC (and Max CBD) are calculated values for total cannabinoids after heating, assuming complete decarboxylation of the acid to the neutral form. It is calculated based on the weight loss of the acid group during decarboxylation: Max THC = (0.877 x THCA) + THC. ND = None detected above the limits of detection (LLD)



Certificate ID: **25989**

Client Sample ID: **MCT - 500**

Matrix: **Tincture - MCT Oil**

Date Received: **1/24/2018**



Hemplucid
121 S Tejon Street
Colorado Springs, CO 80903
Attn: Chase Hudson

This test method was performed in accordance with the requirements of ISO/IEC 17025. The sample was provided to the laboratory by the client and tested as received. These results relate only to the test article listed in this report. Reports may not be reproduced except in their entirety.

Authorization: Matthew Silva, Chemical Engineer	Signature: 	Date: 2/5/2018
--	--	-------------------


CN: Cannabinoid Profile & Potency [WI-10-04]

Analyst: *JDP*

Test Date: 2/4/2018

The client sample was analyzed for plant-based cannabinoids by Convergence Chromatography (CC). The collected data was compared to data collected for certified reference standards at known concentrations.

25989-CN



ID	Weight %	Conc.
Δ9-THC	0.00 wt %	0.01 mg/mL
THCV	0.01 wt %	0.07 mg/mL
CBD	1.64 wt %	15.65 mg/mL
CBDV	0.01 wt %	0.08 mg/mL
CBG	0.03 wt %	0.25 mg/mL
CBC	0.05 wt %	0.46 mg/mL
CBN	ND	ND
THCA	ND	ND
CBDA	ND	ND
CBGA	0.00 wt %	0.04 mg/mL
Total	1.73 wt%	16.55 mg/mL
Max THC	0.00 wt%	-
Max CBD	1.64 wt%	15.65 mg/mL



Max THC (and Max CBD) are calculated values for total cannabinoids after heating, assuming complete decarboxylation of the acid to the neutral form. It is calculated based on the weight loss of the acid group during decarboxylation: Max THC = (0.877 x THCA) + THC. ND = None detected above the limits of detection (LLD)

PST: Pesticide Analysis [WI-10-11]*Analyst: KSB**Test Date: 1/30/2018*


The client sample was analyzed for pesticides using Liquid Chromatography with Mass Spectrometric detection (LC/MS/MS). The method used for sample prep was based on the European method for pesticide analysis (EN 15662).

25989-PST

Analyte	CAS	Result	Units	LLD	Limits (ppb)	Status
Abamectin	71751-41-2	ND	ppb	0.2	10	PASS
Azoxystrobin	131860-33-8	ND	ppb	0.1	10	PASS
Bifenazate	149877-41-8	ND	ppb	0.1	10	PASS
Bifenthrin	82657-04-3	ND	ppb	0.2	10	PASS
Cyfluthrin	68359-37-5	ND	ppb	0.5	10	*
Daminozide	1596-84-5	ND	ppb	10	10	PASS
Dichlorvos	62-73-7	ND	ppb	3	10	*
Etoxazole	153233-91-1	ND	ppb	0.1	10	PASS
Fenoxycarb	72490-01-8	ND	ppb	0.1	10	PASS
Imazalil	35554-44-0	ND	ppb	0.1	10	PASS
Imidacloprid	138261-41-3	ND	ppb	0.1	10	PASS
Myclobutanil	88671-89-0	ND	ppb	0.1	10	PASS
Paclobutrazol	76738-62-0	ND	ppb	0.1	10	PASS
Piperonyl butoxide	51-03-6	ND	ppb	0.1	10	PASS
Pyrethrin	8003-34-7	ND	ppb	0.1	10	PASS
Spinosad	168316-95-8	ND	ppb	0.1	10	PASS
Spiromesifen	283594-90-1	ND	ppb	0.1	10	PASS
Spirotetramat	203313-25-1	ND	ppb	0.1	10	PASS
Trifloxystrobin	141517-21-7	ND	ppb	0.1	10	PASS

* Testing limits established by the Massachusetts Department of Public Health, Protocol for Sampling and Analysis of Finished Medical Marijuana Products and Marijuana-Infused Products for Massachusetts Registered Medical Marijuana Dispensaries, Exhibit 5. ND indicates "none detected" above the lower limit of detection (LLD). Analytes marked with (*) indicate analytes for which no recovery was observed for a pre-spiked matrix sample.

END OF REPORT



Certificate ID: **25990**

Client Sample ID: **MCT - 1000**

Matrix: **Tincture - MCT Oil**

Date Received: **1/24/2018**



Hemplucid
121 S Tejon Street
Colorado Springs, CO 80903
Attn: Chase Hudson

This test method was performed in accordance with the requirements of ISO/IEC 17025. The sample was provided to the laboratory by the client and tested as received. These results relate only to the test article listed in this report. Reports may not be reproduced except in their entirety.

Authorization: Matthew Silva, Chemical Engineer	Signature: 	Date: 2/5/2018
--	--	-------------------


CN: Cannabinoid Profile & Potency [WI-10-04]

Analyst: *JDP*

Test Date: 2/4/2018

The client sample was analyzed for plant-based cannabinoids by Convergence Chromatography (CC). The collected data was compared to data collected for certified reference standards at known concentrations.

25990-CN



ID	Weight %	Conc.
Δ9-THC	0.15 wt %	1.42 mg/mL
THCV	ND	ND
CBD	2.98 wt %	28.20 mg/mL
CBDV	0.03 wt %	0.33 mg/mL
CBG	0.05 wt %	0.52 mg/mL
CBC	0.09 wt %	0.89 mg/mL
CBN	0.00 wt %	0.04 mg/mL
THCA	ND	ND
CBDA	0.00 wt %	0.01 mg/mL
CBGA	0.01 wt %	0.08 mg/mL
Total	3.32 wt%	31.48 mg/mL
Max THC	0.15 wt%	1.42 mg/mL
Max CBD	2.98 wt%	28.21 mg/mL



Ratio of Total CBD to THC 19.9:1


Max THC (and Max CBD) are calculated values for total cannabinoids after heating, assuming complete decarboxylation of the acid to the neutral form. It is calculated based on the weight loss of the acid group during decarboxylation: Max THC = (0.877 x THCA) + THC. ND = None detected above the limits of detection (LLD)

TP: Terpenes Profile [W1-10-08]

Analyst: CJH

Test Date: 1/29/2018

The client sample was analyzed by Head-Space Gas Chromatography (HS-GC). The collected data was compared to data collected for certified reference standards at known concentrations.

25990-TP

Total Terpene: <0.1 wt%

* Indicates qualitative calculation based on recorded peak areas.

END OF REPORT

Certificate ID: **25991**

 Client Sample ID: **MCT - 1500**

 Matrix: **Tincture - MCT Oil**

 Date Received: **1/24/2018**

Hemplucid
 121 S Tejon Street
 Colorado Springs, CO 80903
 Attn: Chase Hudson

This test method was performed in accordance with the requirements of ISO/IEC 17025. The sample was provided to the laboratory by the client and tested as received. These results relate only to the test article listed in this report. Reports may not be reproduced except in their entirety.


Authorization: Matthew Silva, Chemical Engineer	Signature: 	Date: 2/5/2018
--	--	-------------------

CN: Cannabinoid Profile & Potency [WI-10-04]

Analyst: JDP

Test Date: 2/4/2018

The client sample was analyzed for plant-based cannabinoids by Convergence Chromatography (CC). The collected data was compared to data collected for certified reference standards at known concentrations.

25991-CN


ID	Weight %	Conc.
Δ9-THC	0.21 wt %	2.04 mg/mL
THCV	0.02 wt %	0.20 mg/mL
CBD	4.46 wt %	42.48 mg/mL
CBDV	0.01 wt %	0.11 mg/mL
CBG	0.09 wt %	0.90 mg/mL
CBC	0.14 wt %	1.34 mg/mL
CBN	0.00 wt %	0.00 mg/mL
THCA	ND	ND
CBDA	ND	ND
CBGA	ND	ND
Total	4.94 wt%	47.08 mg/mL
Max THC	0.21 wt%	2.04 mg/mL
Max CBD	4.46 wt%	42.48 mg/mL


Ratio of Total CBD to THC 21.2:1

Max THC (and Max CBD) are calculated values for total cannabinoids after heating, assuming complete decarboxylation of the acid to the neutral form. It is calculated based on the weight loss of the acid group during decarboxylation: Max THC = (0.877 x THCA) + THC. ND = None detected above the limits of detection (LLD)

Certificate ID: **25992**

 Client Sample ID: **H/S - 250**

 Matrix: **Tincture - Hemp Oil**

 Date Received: **1/24/2018**

Hemplucid
 121 S Tejon Street
 Colorado Springs, CO 80903
 Attn: Chase Hudson

This test method was performed in accordance with the requirements of ISO/IEC 17025. The sample was provided to the laboratory by the client and tested as received. These results relate only to the test article listed in this report. Reports may not be reproduced except in their entirety.


Authorization: Matthew Silva, Chemical Engineer	Signature: 	Date: 2/5/2018
--	--	-------------------

CN: Cannabinoid Profile & Potency [WI-10-04]

Analyst: JDP

Test Date: 2/4/2018


The client sample was analyzed for plant-based cannabinoids by Convergence Chromatography (CC). The collected data was compared to data collected for certified reference standards at known concentrations.

25992-CN


ID	Weight %	Conc.
Δ9-THC	0.04 wt %	0.35 mg/mL
THCV	ND	ND
CBD	0.86 wt %	7.99 mg/mL
CBDV	0.01 wt %	0.08 mg/mL
CBG	0.01 wt %	0.12 mg/mL
CBC	0.03 wt %	0.26 mg/mL
CBN	ND	ND
THCA	ND	ND
CBDA	0.01 wt %	0.06 mg/mL
CBGA	0.00 wt %	0.03 mg/mL
Total	0.96 wt%	8.89 mg/mL
Max THC	0.04 wt%	0.35 mg/mL
Max CBD	0.87 wt%	8.05 mg/mL


Ratio of Total CBD to THC 21.8:1

Max THC (and Max CBD) are calculated values for total cannabinoids after heating, assuming complete decarboxylation of the acid to the neutral form. It is calculated based on the weight loss of the acid group during decarboxylation: Max THC = (0.877 x THCA) + THC. ND = None detected above the limits of detection (LLD)



Certificate ID: **25993**

Client Sample ID: **H/S - 500**

Matrix: **Tincture - Hemp Oil**

Date Received: **1/24/2018**



Hemplucid
121 S Tejon Street
Colorado Springs, CO 80903
Attn: Chase Hudson

This test method was performed in accordance with the requirements of ISO/IEC 17025. The sample was provided to the laboratory by the client and tested as received. These results relate only to the test article listed in this report. Reports may not be reproduced except in their entirety.

Authorization: Matthew Silva, Chemical Engineer	Signature: 	Date: 2/5/2018
--	--	-------------------


CN: Cannabinoid Profile & Potency [WI-10-04]

Analyst: JDP

Test Date: 2/4/2018

The client sample was analyzed for plant-based cannabinoids by Convergence Chromatography (CC). The collected data was compared to data collected for certified reference standards at known concentrations.

25993-CN



ID	Weight %	Conc.
Δ 9-THC	0.09 wt %	0.79 mg/mL
THCV	ND	ND
CBD	1.78 wt %	16.46 mg/mL
CBDV	0.02 wt %	0.18 mg/mL
CBG	0.03 wt %	0.25 mg/mL
CBC	0.06 wt %	0.57 mg/mL
CBN	ND	ND
THCA	ND	ND
CBDA	0.01 wt %	0.06 mg/mL
CBGA	0.01 wt %	0.05 mg/mL
Total	1.98 wt%	18.36 mg/mL
Max THC	0.09 wt%	0.79 mg/mL
Max CBD	1.78 wt%	16.52 mg/mL



Ratio of Total CBD to THC 19.8:1

Max THC (and Max CBD) are calculated values for total cannabinoids after heating, assuming complete decarboxylation of the acid to the neutral form. It is calculated based on the weight loss of the acid group during decarboxylation: Max THC = (0.877 x THCA) + THC. ND = None detected above the limits of detection (LLD)

VC: Analysis of Volatile Organic Compounds [WI-10-07]

Analyst: CJH

Test Date: 1/28/2018

The client sample was analyzed by Head-Space Gas Chromatography (HS-GC). The collected data was compared to data collected for certified reference standards at known concentrations.


25993-VC

Compound	CAS	Amount ¹	Limit ²	Status
Propane	74-98-6	ND	N/A	-
Butane	106-97-8	ND	5,000 ppm	PASS
Methanol	67-56-1	9 ppm	3,000 ppm	PASS
Pentane	109-66-0	23 ppm	5,000 ppm	PASS
2,2-dimethylbutane		159 ppm	N/A	-
Acetone	67-64-1	7 ppm	5,000 ppm	PASS
Isopropanol	67-63-0	ND	5,000 ppm	PASS
Acetonitrile	75-05-8	ND	410 ppm	PASS
Hexane	110-54-3	6 ppm	290 ppm	PASS
Ethyl Acetate	141-78-6	ND	5,000 ppm	PASS
Heptane	142-82-5	26 ppm	5,000 ppm	PASS
1-butanol	71-36-3	ND	5,000 ppm	PASS
Toluene	108-88-3	ND	890 ppm	PASS

1) ND = None detected above 5 ppm.

2) In ppm, based on USP recommended limits for residual solvents, adopted by the Massachusetts Department of Public Health on 3/31/16. Butane/Propane limits are based on limits established for state of Colorado.

END OF REPORT



Certificate ID: **25994**

Client Sample ID: **H/S - 1000**

Matrix: **Tincture - Hemp Oil**

Date Received: **1/24/2018**



Hemplucid
121 S Tejon Street
Colorado Springs, CO 80903
Attn: Chase Hudson

This test method was performed in accordance with the requirements of ISO/IEC 17025. The sample was provided to the laboratory by the client and tested as received. These results relate only to the test article listed in this report. Reports may not be reproduced except in their entirety.

Authorization: Matthew Silva, Chemical Engineer	Signature: 	Date: 2/5/2018
--	--	-------------------


CN: Cannabinoid Profile & Potency [WI-10-04]

Analyst: *JDP*

Test Date: *2/4/2018*

The client sample was analyzed for plant-based cannabinoids by Convergence Chromatography (CC). The collected data was compared to data collected for certified reference standards at known concentrations.

25994-CN



ID	Weight %	Conc.
Δ 9-THC	0.14 wt %	1.28 mg/mL
THCV	ND	ND
CBD	3.29 wt %	30.50 mg/mL
CBDV	0.01 wt %	0.13 mg/mL
CBG	0.04 wt %	0.35 mg/mL
CBC	0.10 wt %	0.90 mg/mL
CBN	ND	ND
THCA	ND	ND
CBDA	0.05 wt %	0.43 mg/mL
CBGA	0.01 wt %	0.10 mg/mL
Total	3.64 wt%	33.69 mg/mL
Max THC	0.14 wt%	1.28 mg/mL
Max CBD	3.33 wt%	30.88 mg/mL



Ratio of Total CBD to THC 23.8:1

Max THC (and Max CBD) are calculated values for total cannabinoids after heating, assuming complete decarboxylation of the acid to the neutral form. It is calculated based on the weight loss of the acid group during decarboxylation: Max THC = (0.877 x THCA) + THC. ND = None detected above the limits of detection (LLD)

HM: Heavy Metal Analysis [WI-10-13]*Analyst: JFD**Test Date: 1/30/2018*

This test method was performed in accordance with the requirements of ISO/IEC 17025. These results relate only to the test article listed in this report. Reports may not be reproduced except in their entirety.

25994-HM

Symbol	Metal	Conc. ¹	Units	MDL	Use Limits ²		Units	Status
					All	Ingestion		
As	Arsenic	ND	µg/kg	4	200	1500	µg/kg	PASS
Cd	Cadmium	1	µg/kg	1	200	500	µg/kg	PASS
Hg	Mercury	ND	µg/kg	2	100	1500	µg/kg	PASS
Pb	Lead	28	µg/kg	2	500	1000	µg/kg	PASS

1) ND = None detected to Lowest Limits of Detection (LLD)

2) MA Dept. of Public Health: Protocol for MMJ and MIPS, Exhibit 4(a) for all products.

3)USP exposure limits based on daily oral dosing of 1g of concentrate for a 110 lb person.

END OF REPORT

Certificate ID: **25995**

 Client Sample ID: **H/S - 1500**

 Matrix: **Tincture - Hemp Oil**

 Date Received: **1/24/2018**

Hemplucid
121 S Tejon Street
Colorado Springs, CO 80903
Attn: Chase Hudson

This test method was performed in accordance with the requirements of ISO/IEC 17025. The sample was provided to the laboratory by the client and tested as received. These results relate only to the test article listed in this report. Reports may not be reproduced except in their entirety.


Authorization: Matthew Silva, Chemical Engineer	Signature: 	Date: 2/5/2018
---	--	--------------------------

CN: Cannabinoid Profile & Potency [WI-10-04]

 Analyst: **JDP**

 Test Date: **2/4/2018**

The client sample was analyzed for plant-based cannabinoids by Convergence Chromatography (CC). The collected data was compared to data collected for certified reference standards at known concentrations.

25995-CN


ID	Weight %	Conc.
Δ^9 -THC	0.20 wt %	1.86 mg/mL
THCV	ND	ND
CBD	4.98 wt %	46.17 mg/mL
CBDV	0.02 wt %	0.21 mg/mL
CBG	0.06 wt %	0.55 mg/mL
CBC	0.15 wt %	1.39 mg/mL
CBN	0.00 wt %	0.04 mg/mL
THCA	ND	ND
CBDA	0.01 wt %	0.11 mg/mL
CBGA	0.02 wt %	0.16 mg/mL
Total	5.44 wt%	50.49 mg/mL
Max THC	0.20 wt%	1.86 mg/mL
Max CBD	4.99 wt%	46.27 mg/mL


Ratio of Total CBD to THC 25.0:1

Max THC (and Max CBD) are calculated values for total cannabinoids after heating, assuming complete decarboxylation of the acid to the neutral form. It is calculated based on the weight loss of the acid group during decarboxylation: Max THC = (0.877 x THCA) + THC. ND = None detected above the limits of detection (LLD)

Certificate ID: **25996**

 Client Sample ID: **W/S - 250**

 Matrix: **Tincture - Vegetable Glycerin**

 Date Received: **1/24/2018**

Hemplucid
 121 S Tejon Street
 Colorado Springs, CO 80903
 Attn: Chase Hudson

This test method was performed in accordance with the requirements of ISO/IEC 17025. The sample was provided to the laboratory by the client and tested as received. These results relate only to the test article listed in this report. Reports may not be reproduced except in their entirety.


Authorization: Matthew Silva, Chemical Engineer	Signature: 	Date: 2/5/2018
--	--	-------------------

CN: Cannabinoid Profile & Potency [WI-10-04]

Analyst: JDP

Test Date: 2/4/2018


The client sample was analyzed for plant-based cannabinoids by Convergence Chromatography (CC). The collected data was compared to data collected for certified reference standards at known concentrations.

25996-CN


ID	Weight %	Conc.
Δ9-THC	0.03 wt %	0.43 mg/mL
THCV	ND	ND
CBD	0.68 wt %	8.62 mg/mL
CBDV	0.00 wt %	0.05 mg/mL
CBG	0.01 wt %	0.15 mg/mL
CBC	0.02 wt %	0.29 mg/mL
CBN	ND	ND
THCA	ND	ND
CBDA	ND	ND
CBGA	ND	ND
Total	0.76 wt%	9.54 mg/mL
Max THC	0.03 wt%	0.43 mg/mL
Max CBD	0.68 wt%	8.62 mg/mL


Ratio of Total CBD to THC 22.7:1

Max THC (and Max CBD) are calculated values for total cannabinoids after heating, assuming complete decarboxylation of the acid to the neutral form. It is calculated based on the weight loss of the acid group during decarboxylation: Max THC = (0.877 x THCA) + THC. ND = None detected above the limits of detection (LLD)



Certificate ID: **25997**

Client Sample ID: **W/S - 500**

Matrix: **Tincture - Vegetable Glycerin**

Date Received: **1/24/2018**



Hemplucid
121 S Tejon Street
Colorado Springs, CO 80903
Attn: Chase Hudson

This test method was performed in accordance with the requirements of ISO/IEC 17025. The sample was provided to the laboratory by the client and tested as received. These results relate only to the test article listed in this report. Reports may not be reproduced except in their entirety.

Authorization: Matthew Silva, Chemical Engineer	Signature: 	Date: 2/5/2018
---	--	--------------------------


CN: Cannabinoid Profile & Potency [WI-10-04]

Analyst: **JDP**

Test Date: **2/4/2018**

The client sample was analyzed for plant-based cannabinoids by Convergence Chromatography (CC). The collected data was compared to data collected for certified reference standards at known concentrations.

25997-CN




ID	Weight %	Conc.
Δ9-THC	0.05 wt %	0.68 mg/mL
THCV	ND	ND
CBD	1.35 wt %	16.79 mg/mL
CBDV	0.01 wt %	0.14 mg/mL
CBG	0.03 wt %	0.32 mg/mL
CBC	0.05 wt %	0.64 mg/mL
CBN	ND	ND
THCA	ND	ND
CBDA	0.01 wt %	0.10 mg/mL
CBGA	0.00 wt %	0.05 mg/mL
Total	1.50 wt%	18.73 mg/mL
Max THC	0.05 wt%	0.68 mg/mL
Max CBD	1.36 wt%	16.88 mg/mL



Ratio of Total CBD to THC 27.2:1

Max THC (and Max CBD) are calculated values for total cannabinoids after heating, assuming complete decarboxylation of the acid to the neutral form. It is calculated based on the weight loss of the acid group during decarboxylation: Max THC = (0.877 x THCA) + THC. ND = None detected above the limits of detection (LLD)



Certificate ID: **25998**

Client Sample ID: **W/S - 1000**

Matrix: **Tincture - Vegetable Glycerin**

Date Received: **1/24/2018**



Hemplucid
121 S Tejon Street
Colorado Springs, CO 80903
Attn: Chase Hudson

This test method was performed in accordance with the requirements of ISO/IEC 17025. The sample was provided to the laboratory by the client and tested as received. These results relate only to the test article listed in this report. Reports may not be reproduced except in their entirety.

Authorization: Matthew Silva, Chemical Engineer	Signature: 	Date: 2/5/2018
---	--	--------------------------


CN: Cannabinoid Profile & Potency [WI-10-04]

Analyst: **JDP**

Test Date: **2/4/2018**

The client sample was analyzed for plant-based cannabinoids by Convergence Chromatography (CC). The collected data was compared to data collected for certified reference standards at known concentrations.

25998-CN




ID	Weight %	Conc.
Δ9-THC	0.12 wt %	1.49 mg/mL
THCV	ND	ND
CBD	2.37 wt %	29.44 mg/mL
CBDV	0.02 wt %	0.26 mg/mL
CBG	0.05 wt %	0.60 mg/mL
CBC	0.08 wt %	1.03 mg/mL
CBN	0.00 wt %	0.03 mg/mL
THCA	ND	ND
CBDA	ND	ND
CBGA	0.01 wt %	0.07 mg/mL
Total	2.65 wt%	32.92 mg/mL
Max THC	0.12 wt%	1.49 mg/mL
Max CBD	2.37 wt%	29.44 mg/mL



Ratio of Total CBD to THC 19.8:1

Max THC (and Max CBD) are calculated values for total cannabinoids after heating, assuming complete decarboxylation of the acid to the neutral form. It is calculated based on the weight loss of the acid group during decarboxylation: Max THC = (0.877 x THCA) + THC. ND = None detected above the limits of detection (LLD)



Certificate ID: **25999**

Client Sample ID: **W/S - 1500**

Matrix: **Tincture - Vegetable Glycerin**

Date Received: **1/24/2018**



Hemplucid
121 S Tejon Street
Colorado Springs, CO 80903
Attn: Chase Hudson

This test method was performed in accordance with the requirements of ISO/IEC 17025. The sample was provided to the laboratory by the client and tested as received. These results relate only to the test article listed in this report. Reports may not be reproduced except in their entirety.

Authorization: Matthew Silva, Chemical Engineer	Signature: 	Date: 2/5/2018
--	--	-------------------


CN: Cannabinoid Profile & Potency [WI-10-04]

Analyst: *JDP*

Test Date: 2/4/2018

The client sample was analyzed for plant-based cannabinoids by Convergence Chromatography (CC). The collected data was compared to data collected for certified reference standards at known concentrations.

25999-CN



ID	Weight %	Conc.
Δ9-THC	0.17 wt %	2.07 mg/mL
THCV	ND	ND
CBD	3.98 wt %	49.23 mg/mL
CBDV	0.03 wt %	0.32 mg/mL
CBG	0.07 wt %	0.85 mg/mL
CBC	0.14 wt %	1.69 mg/mL
CBN	0.00 wt %	0.03 mg/mL
THCA	ND	ND
CBDA	ND	ND
CBGA	0.01 wt %	0.13 mg/mL
Total	4.39 wt%	54.32 mg/mL
Max THC	0.17 wt%	2.07 mg/mL
Max CBD	3.98 wt%	49.23 mg/mL



Ratio of Total CBD to THC 23.4:1

Max THC (and Max CBD) are calculated values for total cannabinoids after heating, assuming complete decarboxylation of the acid to the neutral form. It is calculated based on the weight loss of the acid group during decarboxylation: Max THC = (0.877 x THCA) + THC. ND = None detected above the limits of detection (LLD)


TP: Terpenes Profile [WI-10-08]

Analyst: CJH

Test Date: 1/29/2018

The client sample was analyzed by Head-Space Gas Chromatography (HS-GC). The collected data was compared to data collected for certified reference standards at known concentrations.

25999-TP



Total Terpene: 0.2 wt%

* Indicates qualitative calculation based on recorded peak areas.

END OF REPORT

Certificate ID: **26000**

 Client Sample ID: **V/D - 150**

 Matrix: **Tincture - Vegetable Glycerin**

 Date Received: **1/24/2018**

Hemplucid
121 S Tejon Street
Colorado Springs, CO 80903
Attn: Chase Hudson

This test method was performed in accordance with the requirements of ISO/IEC 17025. The sample was provided to the laboratory by the client and tested as received. These results relate only to the test article listed in this report. Reports may not be reproduced except in their entirety.

Authorization: Matthew Silva, Chemical Engineer	Signature: 	Date: 2/5/2018
---	--	--------------------------

CN: Cannabinoid Profile & Potency [WI-10-04]

 Analyst: **JDP**

 Test Date: **2/4/2018**


The client sample was analyzed for plant-based cannabinoids by Convergence Chromatography (CC). The collected data was compared to data collected for certified reference standards at known concentrations.

26000-CN


ID	Weight %	Conc.
Δ9-THC	0.02 wt %	0.29 mg/mL
THCV	ND	ND
CBD	0.43 wt %	5.51 mg/mL
CBDV	0.00 wt %	0.03 mg/mL
CBG	0.01 wt %	0.09 mg/mL
CBC	0.01 wt %	0.16 mg/mL
CBN	ND	ND
THCA	ND	ND
CBDA	ND	ND
CBGA	ND	ND
Total	0.48 wt%	6.07 mg/mL
Max THC	0.02 wt%	0.29 mg/mL
Max CBD	0.43 wt%	5.51 mg/mL


Ratio of Total CBD to THC 21.5:1

Max THC (and Max CBD) are calculated values for total cannabinoids after heating, assuming complete decarboxylation of the acid to the neutral form. It is calculated based on the weight loss of the acid group during decarboxylation: Max THC = (0.877 x THCA) + THC. ND = None detected above the limits of detection (LLD)



Certificate ID: **26001**

Client Sample ID: **V/D - 300**

Matrix: **Tincture - Vegetable Glycerin**

Date Received: **1/24/2018**



Hemplucid
121 S Tejon Street
Colorado Springs, CO 80903
Attn: Chase Hudson

This test method was performed in accordance with the requirements of ISO/IEC 17025. The sample was provided to the laboratory by the client and tested as received. These results relate only to the test article listed in this report. Reports may not be reproduced except in their entirety.

Authorization: Matthew Silva, Chemical Engineer	Signature: 	Date: 2/5/2018
---	--	--------------------------


CN: Cannabinoid Profile & Potency [WI-10-04]

Analyst: **JDP**

Test Date: **2/4/2018**

The client sample was analyzed for plant-based cannabinoids by Convergence Chromatography (CC). The collected data was compared to data collected for certified reference standards at known concentrations.

26001-CN




ID	Weight %	Conc.
Δ9-THC	0.04 wt %	0.53 mg/mL
THCV	ND	ND
CBD	0.85 wt %	10.75 mg/mL
CBDV	0.00 wt %	0.05 mg/mL
CBG	0.01 wt %	0.15 mg/mL
CBC	0.03 wt %	0.33 mg/mL
CBN	ND	ND
THCA	ND	ND
CBDA	ND	ND
CBGA	ND	ND
Total	0.94 wt%	11.81 mg/mL
Max THC	0.04 wt%	0.53 mg/mL
Max CBD	0.85 wt%	10.75 mg/mL



Ratio of Total CBD to THC 21.3:1

Max THC (and Max CBD) are calculated values for total cannabinoids after heating, assuming complete decarboxylation of the acid to the neutral form. It is calculated based on the weight loss of the acid group during decarboxylation: Max THC = (0.877 x THCA) + THC. ND = None detected above the limits of detection (LLD)



Certificate ID: **26002**
 Client Sample ID: **V/D - 500**
 Matrix: **Tincture - Vegetable Glycerin**
 Date Received: **1/24/2018**



Hemplucid
 121 S Tejon Street
 Colorado Springs, CO 80903
 Attn: **Chase Hudson**

This test method was performed in accordance with the requirements of ISO/IEC 17025. The sample was provided to the laboratory by the client and tested as received. These results relate only to the test article listed in this report. Reports may not be reproduced except in their entirety.

Authorization: Matthew Silva, Chemical Engineer	Signature: 	Date: 2/5/2018
--	--	-------------------


CN: Cannabinoid Profile & Potency [WI-10-04]

Analyst: *JDP*


Test Date: 2/4/2018

The client sample was analyzed for plant-based cannabinoids by Convergence Chromatography (CC). The collected data was compared to data collected for certified reference standards at known concentrations.

26002-CN



ID	Weight %	Conc.
Δ9-THC	0.07 wt %	0.83 mg/mL
THCV	ND	ND
CBD	1.41 wt %	17.65 mg/mL
CBDV	0.01 wt %	0.12 mg/mL
CBG	0.03 wt %	0.33 mg/mL
CBC	0.04 wt %	0.53 mg/mL
CBN	ND	ND
THCA	ND	ND
CBDA	0.01 wt %	0.08 mg/mL
CBGA	0.00 wt %	0.03 mg/mL
Total	1.56 wt%	19.57 mg/mL
Max THC	0.07 wt%	0.83 mg/mL
Max CBD	1.42 wt%	17.73 mg/mL



Ratio of Total CBD to THC 20.3:1

Max THC (and Max CBD) are calculated values for total cannabinoids after heating, assuming complete decarboxylation of the acid to the neutral form. It is calculated based on the weight loss of the acid group during decarboxylation: Max THC = (0.877 x THCA) + THC. ND = None detected above the limits of detection (LLD)

Certificate ID: **26003**

 Client Sample ID: **V/D - 1000**

 Matrix: **Tincture - Vegetable Glycerin**

 Date Received: **1/24/2018**

Hemplucid
 121 S Tejon Street
 Colorado Springs, CO 80903
 Attn: Chase Hudson

This test method was performed in accordance with the requirements of ISO/IEC 17025. The sample was provided to the laboratory by the client and tested as received. These results relate only to the test article listed in this report. Reports may not be reproduced except in their entirety.


Authorization: Matthew Silva, Chemical Engineer	Signature: 	Date: 2/5/2018
--	--	-------------------

CN: Cannabinoid Profile & Potency [WI-10-04]


Analyst: JDP

Test Date: 2/4/2018


The client sample was analyzed for plant-based cannabinoids by Convergence Chromatography (CC). The collected data was compared to data collected for certified reference standards at known concentrations.

26003-CN


ID	Weight %	Conc.
Δ 9-THC	0.11 wt %	1.31 mg/mL
THCV	ND	ND
CBD	2.67 wt %	33.06 mg/mL
CBDV	0.02 wt %	0.25 mg/mL
CBG	0.05 wt %	0.63 mg/mL
CBC	0.10 wt %	1.25 mg/mL
CBN	ND	ND
THCA	ND	ND
CBDA	0.02 wt %	0.19 mg/mL
CBGA	0.01 wt %	0.10 mg/mL
Total	2.97 wt%	36.77 mg/mL
Max THC	0.11 wt%	1.31 mg/mL
Max CBD	2.68 wt%	33.23 mg/mL


Ratio of Total CBD to THC 24.4:1

Max THC (and Max CBD) are calculated values for total cannabinoids after heating, assuming complete decarboxylation of the acid to the neutral form. It is calculated based on the weight loss of the acid group during decarboxylation: Max THC = (0.877 x THCA) + THC. ND = None detected above the limits of detection (LLD)



Certificate ID: **26004**

Client Sample ID: **V/D - 1500**

Matrix: **Tincture - Vegetable Glycerin**

Date Received: **1/24/2018**



Hemplucid
121 S Tejon Street
Colorado Springs, CO 80903
Attn: Chase Hudson

This test method was performed in accordance with the requirements of ISO/IEC 17025. The sample was provided to the laboratory by the client and tested as received. These results relate only to the test article listed in this report. Reports may not be reproduced except in their entirety.

Authorization: Matthew Silva, Chemical Engineer	Signature: 	Date: 2/5/2018
---	--	--------------------------


CN: Cannabinoid Profile & Potency [WI-10-04]

Analyst: **JDP**


Test Date: **2/4/2018**

The client sample was analyzed for plant-based cannabinoids by Convergence Chromatography (CC). The collected data was compared to data collected for certified reference standards at known concentrations.

26004-CN



ID	Weight %	Conc.
Δ9-THC	0.18 wt %	2.20 mg/mL
THCV	ND	ND
CBD	4.09 wt %	50.68 mg/mL
CBDV	0.03 wt %	0.32 mg/mL
CBG	0.07 wt %	0.83 mg/mL
CBC	0.14 wt %	1.75 mg/mL
CBN	0.00 wt %	0.03 mg/mL
THCA	ND	ND
CBDA	ND	ND
CBGA	0.01 wt %	0.09 mg/mL
Total	4.51 wt%	55.90 mg/mL
Max THC	0.18 wt%	2.20 mg/mL
Max CBD	4.09 wt%	50.68 mg/mL



Ratio of Total CBD to THC 22.7:1

Max THC (and Max CBD) are calculated values for total cannabinoids after heating, assuming complete decarboxylation of the acid to the neutral form. It is calculated based on the weight loss of the acid group during decarboxylation: Max THC = (0.877 x THCA) + THC. ND = None detected above the limits of detection (LLD)

Certificate ID: **26005**

 Client Sample ID: **Gel - 15**

 Matrix: **Capsules/Tablets - Capsule**

 Date Received: **1/24/2018**

Hemplucid
 121 S Tejon Street
 Colorado Springs, CO 80903
 Attn: Chase Hudson

This test method was performed in accordance with the requirements of ISO/IEC 17025. The sample was provided to the laboratory by the client and tested as received. These results relate only to the test article listed in this report. Reports may not be reproduced except in their entirety.


Authorization: Matthew Silva, Chemical Engineer	Signature: 	Date: 2/5/2018
--	--	-------------------

CN: Cannabinoid Profile & Potency [WI-10-04]

Analyst: JDP

Test Date: 2/4/2018

The client sample was analyzed for plant-based cannabinoids by Convergence Chromatography (CC). The collected data was compared to data collected for certified reference standards at known concentrations.

26005-CN


ID	Weight %	Conc.
Δ9-THC	0.18 wt %	0.87 mg/capsule
THCV	ND	ND
CBD	3.53 wt %	17.16 mg/capsule
CBDV	0.04 wt %	0.19 mg/capsule
CBG	0.10 wt %	0.47 mg/capsule
CBC	0.10 wt %	0.48 mg/capsule
CBN	0.00 wt %	0.02 mg/capsule
THCA	ND	ND
CBDA	0.00 wt %	0.02 mg/capsule
CBGA	ND	ND
Total	3.95 wt%	19.22 mg/capsule
Max THC	0.18 wt%	0.87 mg/capsule
Max CBD	3.53 wt%	17.18 mg/capsule


Ratio of Total CBD to THC 19.6:1

Max THC (and Max CBD) are calculated values for total cannabinoids after heating, assuming complete decarboxylation of the acid to the neutral form. It is calculated based on the weight loss of the acid group during decarboxylation: Max THC = (0.877 x THCA) + THC. ND = None detected above the limits of detection (LLD)

Certificate ID: **26006**

 Client Sample ID: **Gel - 25**

 Matrix: **Capsules/Tablets - Capsule**

 Date Received: **1/24/2018**

Hemplucid
121 S Tejon Street
Colorado Springs, CO 80903
Attn: Chase Hudson

This test method was performed in accordance with the requirements of ISO/IEC 17025. The sample was provided to the laboratory by the client and tested as received. These results relate only to the test article listed in this report. Reports may not be reproduced except in their entirety.


Authorization: Matthew Silva, Chemical Engineer	Signature: 	Date: 2/5/2018
---	--	--------------------------

CN: Cannabinoid Profile & Potency [WI-10-04]

 Analyst: **JDP**

 Test Date: **2/4/2018**


The client sample was analyzed for plant-based cannabinoids by Convergence Chromatography (CC). The collected data was compared to data collected for certified reference standards at known concentrations.

26006-CN


ID	Weight %	Conc.
Δ^9 -THC	0.29 wt %	1.38 mg/capsule
THCV	ND	ND
CBD	5.70 wt %	27.57 mg/capsule
CBDV	0.06 wt %	0.31 mg/capsule
CBG	0.16 wt %	0.77 mg/capsule
CBC	0.16 wt %	0.79 mg/capsule
CBN	0.00 wt %	0.00 mg/capsule
THCA	ND	ND
CBDA	0.00 wt %	0.02 mg/capsule
CBGA	ND	ND
Total	6.37 wt%	30.84 mg/capsule
Max THC	0.29 wt%	1.38 mg/capsule
Max CBD	5.70 wt%	27.59 mg/capsule


Ratio of Total CBD to THC 19.7:1

Max THC (and Max CBD) are calculated values for total cannabinoids after heating, assuming complete decarboxylation of the acid to the neutral form. It is calculated based on the weight loss of the acid group during decarboxylation: $\text{Max THC} = (0.877 \times \text{THCA}) + \text{THC}$. ND = None detected above the limits of detection (LLD)



Certificate ID: **26007**

Client Sample ID: **BB - 500**

Matrix: **Topical - Lotion**

Date Received: **1/24/2018**



Hemplucid
121 S Tejon Street
Colorado Springs, CO 80903
Attn: Chase Hudson

This test method was performed in accordance with the requirements of ISO/IEC 17025. The sample was provided to the laboratory by the client and tested as received. These results relate only to the test article listed in this report. Reports may not be reproduced except in their entirety.

Authorization: Matthew Silva, Chemical Engineer	Signature: 	Date: 2/5/2018
--	--	-------------------


CN: Cannabinoid Profile & Potency [WI-10-04]

Analyst: *JDP*

Test Date: 2/4/2018

The client sample was analyzed for plant-based cannabinoids by Convergence Chromatography (CC). The collected data was compared to data collected for certified reference standards at known concentrations.

26007-CN



ID	Weight %	Conc.
Δ^9 -THC	0.04 wt %	0.40 mg/g
THCV	ND	ND
CBD	1.02 wt %	10.21 mg/g
CBDV	0.01 wt %	0.10 mg/g
CBG	0.04 wt %	0.38 mg/g
CBC	0.04 wt %	0.39 mg/g
CBN	0.00 wt %	0.01 mg/g
THCA	ND	ND
CBDA	ND	ND
CBGA	ND	ND
Total	1.15 wt%	11.48 mg/g
Max THC	0.04 wt%	0.40 mg/g
Max CBD	1.02 wt%	10.21 mg/g



Ratio of Total CBD to THC 25.5:1

Max THC (and Max CBD) are calculated values for total cannabinoids after heating, assuming complete decarboxylation of the acid to the neutral form. It is calculated based on the weight loss of the acid group during decarboxylation: $\text{Max THC} = (0.877 \times \text{THCA}) + \text{THC}$. ND = None detected above the limits of detection (LLD)

VC: Analysis of Volatile Organic Compounds [WI-10-07]

Analyst: CJH

Test Date: 1/28/2018

The client sample was analyzed by Head-Space Gas Chromatography (HS-GC). The collected data was compared to data collected for certified reference standards at known concentrations.


26007-VC

Compound	CAS	Amount ¹	Limit ²	Status
Propane	74-98-6	ND	N/A	-
Butane	106-97-8	ND	5,000 ppm	PASS
Methanol	67-56-1	ND	3,000 ppm	PASS
Ethanol	64-17-5	7 ppm	5,000 ppm	PASS
2,2-dimethylbutane		ND	N/A	-
Acetone	67-64-1	10 ppm	5,000 ppm	PASS
Isopropanol	67-63-0	7 ppm	5,000 ppm	PASS
Hexane	110-54-3	ND	290 ppm	PASS
Heptane	142-82-5	ND	5,000 ppm	PASS
1-butanol	71-36-3	ND	5,000 ppm	PASS

1) ND = None detected above 5 ppm.

2) In ppm, based on USP recommended limits for residual solvents, adopted by the Massachusetts Department of Public Health on 3/31/16. Butane/Propane limits are based on limits established for state of Colorado.

END OF REPORT



Certificate ID: **26008**

Client Sample ID: **BB - 1000**

Matrix: **Topical - Lotion**

Date Received: **1/24/2018**



Hemplucid
121 S Tejon Street
Colorado Springs, CO 80903
Attn: Chase Hudson

This test method was performed in accordance with the requirements of ISO/IEC 17025. The sample was provided to the laboratory by the client and tested as received. These results relate only to the test article listed in this report. Reports may not be reproduced except in their entirety.

Authorization: Matthew Silva, Chemical Engineer	Signature: 	Date: 2/5/2018
--	--	-------------------


CN: Cannabinoid Profile & Potency [WI-10-04]

Analyst: *JDP*

Test Date: 2/4/2018

The client sample was analyzed for plant-based cannabinoids by Convergence Chromatography (CC). The collected data was compared to data collected for certified reference standards at known concentrations.

26008-CN



ID	Weight %	Conc.
Δ9-THC	0.05 wt %	0.47 mg/g
THCV	ND	ND
CBD	1.24 wt %	12.35 mg/g
CBDV	0.01 wt %	0.12 mg/g
CBG	0.05 wt %	0.46 mg/g
CBC	0.05 wt %	0.46 mg/g
CBN	0.00 wt %	0.01 mg/g
THCA	ND	ND
CBDA	ND	ND
CBGA	ND	ND
Total	1.39 wt%	13.87 mg/g
Max THC	0.05 wt%	0.47 mg/g
Max CBD	1.24 wt%	12.35 mg/g



Ratio of Total CBD to THC 24.8:1


Max THC (and Max CBD) are calculated values for total cannabinoids after heating, assuming complete decarboxylation of the acid to the neutral form. It is calculated based on the weight loss of the acid group during decarboxylation: Max THC = (0.877 x THCA) + THC. ND = None detected above the limits of detection (LLD)

TP: Terpenes Profile [W1-10-08]

Analyst: CJH

Test Date: 1/29/2018


The client sample was analyzed by Head-Space Gas Chromatography (HS-GC). The collected data was compared to data collected for certified reference standards at known concentrations.

26008-TP

Total Terpene: 0.6 wt%

* Indicates qualitative calculation based on recorded peak areas.

END OF REPORT



Certificate ID: **26009**
 Client Sample ID: **BBA - 1000**
 Matrix: **Topical - Lotion**
 Date Received: **1/24/2018**



Hemplucid
 121 S Tejon Street
 Colorado Springs, CO 80903
 Attn: Chase Hudson

This test method was performed in accordance with the requirements of ISO/IEC 17025. The sample was provided to the laboratory by the client and tested as received. These results relate only to the test article listed in this report. Reports may not be reproduced except in their entirety.

Authorization: Matthew Silva, Chemical Engineer	Signature: 	Date: 2/5/2018
--	--	-------------------


CN: Cannabinoid Profile & Potency [WI-10-04]

Analyst: JDP


Test Date: 2/4/2018

The client sample was analyzed for plant-based cannabinoids by Convergence Chromatography (CC). The collected data was compared to data collected for certified reference standards at known concentrations.

26009-CN



ID	Weight %	Conc.
Δ 9-THC	0.05 wt %	0.48 mg/g
THCV	ND	ND
CBD	1.12 wt %	11.25 mg/g
CBDV	0.02 wt %	0.19 mg/g
CBG	0.04 wt %	0.41 mg/g
CBC	0.05 wt %	0.52 mg/g
CBN	0.00 wt %	0.03 mg/g
THCA	0.01 wt %	0.07 mg/g
CBDA	0.52 wt %	5.22 mg/g
CBGA	0.02 wt %	0.20 mg/g
Total	1.84 wt%	18.36 mg/g
Max THC	0.05 wt%	0.55 mg/g
Max CBD	1.58 wt%	15.82 mg/g



Max THC (and Max CBD) are calculated values for total cannabinoids after heating, assuming complete decarboxylation of the acid to the neutral form. It is calculated based on the weight loss of the acid group during decarboxylation: Max THC = (0.877 x THCA) + THC. ND = None detected above the limits of detection (LLD)

Certificate ID: **26010**

 Client Sample ID: **B1- 25**

 Matrix: **Edibles - Soft Candy**

 Date Received: **1/24/2018**

Hemplucid
121 S Tejon Street
Colorado Springs, CO 80903
Attn: Chase Hudson

This test method was performed in accordance with the requirements of ISO/IEC 17025. The sample was provided to the laboratory by the client and tested as received. These results relate only to the test article listed in this report. Reports may not be reproduced except in their entirety.

Authorization: Matthew Silva, Chemical Engineer	Signature: 	Date: 2/5/2018
---	--	--------------------------

CN: Cannabinoid Profile & Potency [WI-10-04]


 Analyst: **JDP**

 Test Date: **2/4/2018**


The client sample was analyzed for plant-based cannabinoids by Convergence Chromatography (CC). The collected data was compared to data collected for certified reference standards at known concentrations.

26010-CN


ID	Weight %	Conc.
Δ9-THC	0.01 wt %	0.34 mg/gummy
THCV	ND	ND
CBD	1.04 wt %	26.85 mg/gummy
CBDV	0.01 wt %	0.21 mg/gummy
CBG	0.01 wt %	0.20 mg/gummy
CBC	0.00 wt %	0.03 mg/gummy
CBN	0.00 wt %	0.01 mg/gummy
THCA	ND	ND
CBDA	ND	ND
CBGA	ND	ND
Total	1.08 wt%	27.65 mg/gummy
Max THC	0.01 wt%	0.34 mg/gummy
Max CBD	1.04 wt%	26.85 mg/gummy



Max THC (and Max CBD) are calculated values for total cannabinoids after heating, assuming complete decarboxylation of the acid to the neutral form. It is calculated based on the weight loss of the acid group during decarboxylation: Max THC = (0.877 x THCA) + THC. ND = None detected above the limits of detection (LLD)



Certificate ID: **26011**

Client Sample ID: **B2 - 25**

Matrix: **Edibles - Soft Candy**

Date Received: **1/24/2018**



Hemplucid
121 S Tejon Street
Colorado Springs, CO 80903
Attn: Chase Hudson

This test method was performed in accordance with the requirements of ISO/IEC 17025. The sample was provided to the laboratory by the client and tested as received. These results relate only to the test article listed in this report. Reports may not be reproduced except in their entirety.

Authorization: Matthew Silva, Chemical Engineer	Signature: 	Date: 2/5/2018
---	--	--------------------------

CN: Cannabinoid Profile & Potency [WI-10-04]

Analyst: JDP

Test Date: 2/4/2018

The client sample was analyzed for plant-based cannabinoids by Convergence Chromatography (CC). The collected data was compared to data collected for certified reference standards at known concentrations.


26011-CN



ID	Weight %	Conc.
Δ9-THC	0.01 wt %	0.30 mg/gummy
THCV	ND	ND
CBD	1.11 wt %	28.72 mg/gummy
CBDV	0.01 wt %	0.18 mg/gummy
CBG	0.01 wt %	0.18 mg/gummy
CBC	ND	ND
CBN	ND	ND
THCA	ND	ND
CBDA	ND	ND
CBGA	ND	ND
Total	1.14 wt%	29.38 mg/gummy
Max THC	0.01 wt%	0.30 mg/gummy
Max CBD	1.11 wt%	28.72 mg/gummy



Max THC (and Max CBD) are calculated values for total cannabinoids after heating, assuming complete decarboxylation of the acid to the neutral form. It is calculated based on the weight loss of the acid group during decarboxylation: Max THC = (0.877 x THCA) + THC. ND = None detected above the limits of detection (LLD)



Certificate ID: **26012**
 Client Sample ID: **B3 - 25**
 Matrix: **Edibles - Soft Candy**
 Date Received: **1/24/2018**



Hemplucid
 121 S Tejon Street
 Colorado Springs, CO 80903
 Attn: **Chase Hudson**

This test method was performed in accordance with the requirements of ISO/IEC 17025. The sample was provided to the laboratory by the client and tested as received. These results relate only to the test article listed in this report. Reports may not be reproduced except in their entirety.

Authorization: Matthew Silva, Chemical Engineer	Signature: 	Date: 2/5/2018
--	--	-------------------

CN: Cannabinoid Profile & Potency [WI-10-04]

Analyst: *JDP*


Test Date: 2/4/2018

The client sample was analyzed for plant-based cannabinoids by Convergence Chromatography (CC). The collected data was compared to data collected for certified reference standards at known concentrations.

26012-CN



ID	Weight %	Conc.
Δ9-THC	0.01 wt %	0.29 mg/gummy
THCV	ND	ND
CBD	1.08 wt %	26.68 mg/gummy
CBDV	0.01 wt %	0.17 mg/gummy
CBG	0.01 wt %	0.17 mg/gummy
CBC	0.00 wt %	0.02 mg/gummy
CBN	ND	ND
THCA	ND	ND
CBDA	ND	ND
CBGA	ND	ND
Total	1.11 wt%	27.34 mg/gummy
Max THC	0.01 wt%	0.29 mg/gummy
Max CBD	1.08 wt%	26.68 mg/gummy



Max THC (and Max CBD) are calculated values for total cannabinoids after heating, assuming complete decarboxylation of the acid to the neutral form. It is calculated based on the weight loss of the acid group during decarboxylation: Max THC = (0.877 x THCA) + THC. ND = None detected above the limits of detection (LLD)

Certificate ID: **26013**

 Client Sample ID: **Dab - 200**

 Matrix: **Concentrates/Extracts - CO2**

 Date Received: **1/24/2018**

Hemplucid
121 S Tejon Street
Colorado Springs, CO 80903
Attn: Chase Hudson

This test method was performed in accordance with the requirements of ISO/IEC 17025. The sample was provided to the laboratory by the client and tested as received. These results relate only to the test article listed in this report. Reports may not be reproduced except in their entirety.


Authorization: Matthew Silva, Chemical Engineer	Signature: 	Date: 2/5/2018
---	--	--------------------------

CN: Cannabinoid Profile & Potency [WI-10-04]

 Analyst: **JDP**

 Test Date: **2/4/2018**

The client sample was analyzed for plant-based cannabinoids by Convergence Chromatography (CC). The collected data was compared to data collected for certified reference standards at known concentrations.

26013-CN


ID	Weight %	Conc.
Δ^9 -THC	0.24 wt %	2.42 mg/g
THCV	ND	ND
CBD	21.45 wt %	214.51 mg/g
CBDV	0.12 wt %	1.15 mg/g
CBG	0.11 wt %	1.09 mg/g
CBC	0.22 wt %	2.21 mg/g
CBN	ND	ND
THCA	ND	ND
CBDA	0.12 wt %	1.23 mg/g
CBGA	ND	ND
Total	22.26 wt%	222.62 mg/g
Max THC	0.24 wt%	2.42 mg/g
Max CBD	21.56 wt%	215.59 mg/g



Max THC (and Max CBD) are calculated values for total cannabinoids after heating, assuming complete decarboxylation of the acid to the neutral form. It is calculated based on the weight loss of the acid group during decarboxylation: $\text{Max THC} = (0.877 \times \text{THCA}) + \text{THC}$. ND = None detected above the limits of detection (LLD)